



SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : CATALYSEUR IP
Product code : 04200/04201.
04201 : CATALYSEUR IP / CATALYST IP / HAERTER IP
04200 : KIT
UFI : VKC0-50EE-000M-GGUM

1.2. Relevant identified uses of the substance or mixture and uses advised against

Resin Catalyst

1.3. Details of the supplier of the safety data sheet

Registered company name : PRESI S.A.S.
Address : 11 Rue du vercors.38320.EYBENS.France.
Telephone : +33 (0)4.76.72.00.21. Fax : +33 (0)4.76.72.05.84.
presi@presi.com
www.presi.com

1.4. Emergency telephone number : +33 (0)1.45.42.59.59.

Association/Organisation : INRS / ORFILA <http://www.centres-antipoison.net>.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Acute oral toxicity, Category 4 (Acute Tox. 4, H302).
Acute dermal toxicity, Category 4 (Acute Tox. 4, H312).
Skin corrosion, Category 1B (Skin Corr. 1B, H314).
Serious eye damage, Category 1 (Eye Dam. 1, H318).
Skin sensitisation, Category 1 (Skin Sens. 1, H317).
Hazardous to the aquatic environment - Chronic hazard, Category 3 (Aquatic Chronic 3, H412).
This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



GHS05



GHS07

Signal Word :

DANGER

Product identifiers :

EC 292-588-2 AMINES, POLYETHYLENEPOLY-, TRIETHYLENETETRAMINE FRACTION

Hazard statements :

H302 + H312	Harmful if swallowed or in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H412	Harmful to aquatic life with long lasting effects.

CATALYSEUR IP - 04200/04201

Precautionary statements - Prevention :

- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/ ...

Precautionary statements - Response :

- P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) $\geq 0.1\%$ published by the European Chemicals Agency (ECHA) under article 59 of REACH: <http://echa.europa.eu/fr/candidate-list-table>

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances $\geq 0.1\%$ with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition :

Identification	Classification (EC) 1272/2008	Note	%
CAS: 90640-67-8 EC: 292-588-2 REACH: 01-2119487919-13 AMINES, POLYETHYLENEPOLY-, TRIETHYLENETETRAMINE FRACTION	GHS07, GHS05 Dgr Acute Tox. 4, H302 Acute Tox. 4, H312 Skin Corr. 1B, H314 Skin Sens. 1, H317 Eye Dam. 1, H318 Aquatic Chronic 3, H412		90 \leq x % < 100

Specific concentration limits:

Identification	Specific concentration limits	ATE
CAS: 90640-67-8 EC: 292-588-2 REACH: 01-2119487919-13 AMINES, POLYETHYLENEPOLY-, TRIETHYLENETETRAMINE FRACTION		dermal: ATE = 1465.4 mg/kg BW oral: ATE = 1716.2 mg/kg BW

Information on ingredients :

(Full text of H-phrases: see section 16)

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. description of first aid measures

In the event of exposure by inhalation :

- Move to fresh air
If symptoms persist, call a physician

In the event of splashes or contact with eyes :

- Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.
Regardless of the initial state, refer the patient to an ophthalmologist and show him the label.



Continue rinsing during transport to hospital.

Remove contact lenses.

In the event of splashes or contact with skin :

Wash well with water

Take off all contaminated clothing immediately
consult a doctor

In the event of swallowing :

Do NOT induce vomiting.

Never give anything by mouth to an unconscious person.
immediately transport the victim to the hospital

4.2. Most important symptoms and effects, both acute and delayed

Harmful if swallowed

Causes severe burns, harmful if contact with skin

Causes severe eye irritation.

Burn

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. contact a physician.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Suitable methods of extinction

In the event of a fire, use :

- sprayed water or water mist
- foam
- carbon dioxide (CO₂)
- powder

Unsuitable methods of extinction

High volume water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO₂)
- nitrogen oxide (NO)

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).



CATALYSEUR IP - 04200/04201

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Neutralise with an acidic decontaminant.

Remove with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust)

Collect into suitable container for disposal

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Emergency showers and eye wash stations will be required in facilities where the mixture is handled constantly.

Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization in predisposed individuals.

People who have had problems with skin sensitization or asthma, allergies, chronic or repeated respiratory diseases should never be used in operations where this mixture is used.

Do not breathe gas/fumes/vapours/spray.

Avoid contact with skin and eyes.

Fire prevention :

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

Keep the container tightly closed in a well ventilated place

Store at temperatures between 2°C and 40°C

Storage

Do not store near acids.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

No data available.

Derived no effect level (DNEL) or derived minimum effect level (DMEL):

AMINES, POLYETHYLENEPOLY-, TRIETHYLENETETRAMINE FRACTION (CAS: 90640-67-8)

Final use:

Exposure method:

Potential health effects:

Workers.

Inhalation.

Long term systemic effects.

CATALYSEUR IP - 04200/04201

DNEL : 0.54 mg of substance/m3

Final use:

Exposure method:
Potential health effects:
DNEL :

Consumers.

Ingestion.
Long term systemic effects.
14 mg/kg body weight/day

Exposure method:
Potential health effects:
DNEL :

Inhalation.
Short term systemic effects.
0.096 mg of substance/m3

Predicted no effect concentration (PNEC):

AMINES, POLYETHYLENEPOLY-, TRIETHYLENETETRAMINE FRACTION (CAS: 90640-67-8)

Environmental compartment: Soil.
PNEC : 1.25 mg/kg

Environmental compartment: Fresh water.
PNEC : 0.027 mg/l

Environmental compartment: Sea water.
PNEC : 0.003 mg/l

Environmental compartment: Intermittent waste water.
PNEC : 0.13 mg/l

Environmental compartment: Fresh water sediment.
PNEC : 8.572 mg/kg

Environmental compartment: Marine sediment.
PNEC : 0.857 mg/kg

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard ISO 16321.

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.



CATALYSEUR IP - 04200/04201

- Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties :

Butyl Rubber

Minimum permeation time: ≥ 8 h

- Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing :

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605/A1 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034/A1 to prevent skin contact.

Wear suitable protective clothing and, in particular, an apron and boots. These items of clothing shall be maintained in good condition and cleaned after use.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

- Respiratory protection

Anti-gas and vapour filter(s) (Combined filters) in accordance with standard EN14387 :

filter type: AK-P (organic vapor)

Use appropriate respiratory protection unless local exhaust ventilation is present or it has been demonstrated that exposure is within the limits recommended by exposure guidelines.

N/A

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state

Physical state : Fluid liquid.

Colour

Color: Off-white

Odour

Odour threshold : Not stated.

Odour: light, amine type

Melting point

Melting point/melting range : < -20 °C

Method for determining the melting point :
OCDE Guideline 102 (Melting point/Melting range).

Freezing point

Freezing point / Freezing range : Not stated.

Boiling point or initial boiling point and boiling range

Boiling point/boiling range : 274.6 °C

Flammability

Flammability (solid, gas) : Not stated.



CATALYSEUR IP - 04200/04201

Lower and upper explosion limit

Explosive properties, lower explosivity limit (%) 1%
:
Explosive properties, upper explosivity limit (%) 3.6%
:

Flash point

Flash Point : 118.00 °C.

Auto-ignition temperature

Self-ignition temperature : Not specified.

Decomposition temperature

Decomposition point/decomposition range : Not specified.

pH

pH : 13.00 .
Strongly basic.
pH (aqueous solution) : 13

Kinematic viscosity

Viscosity : 10.3 mm²/s (40°C)

Solubility

Water solubility : Soluble. >1000 g/l
Method for determining the water solubility :
OCDE Guideline 105 (Water solubility).
Fat solubility : Not stated.

Partition coefficient n-octanol/water (log value)

Partition coefficient: n-octanol/water : -2.65 (20°C)
Method for determining the partition coefficient n-octanol/water :
OCDE Guideline 117 (Partition Coefficient (n-octanol/water), HPLC Method).

Vapour pressure

Vapour pressure (50°C) : Not relevant.
Vapor pressure (20 °C) : N/A

Density and/or relative density

Density : 0.971 (25 °C)

Relative vapour density

Vapour density : 5.04

Particle characteristics

The mixture does not contain nanoforms.

9.2. Other information

Molecular weight: 146.24 g/mol

9.2.1. Information with regard to physical hazard classes

No data available.

9.2.2. Other safety characteristics

No data available.

SECTION 10 : STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.



10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

Keep away from :

- chlorinated hydrocarbons
- acids
- Copper
- Cobalt
- Copper alloy
- Nickel
- oxidants

10.6. Hazardous decomposition products

No data available.

SECTION 11 : TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

11.1.1. Substances

a) Acute toxicity :

AMINES, POLYETHYLENEPOLY-, TRIETHYLENETETRAMINE FRACTION (CAS: 90640-67-8)

Oral route :

LD50 = 1716.2 mg/kg body weight

Species : Rat

OECD Guideline 401 (Acute Oral Toxicity)

Dermal route :

LD50 = 1465.4 mg/kg body weight

Species : Rabbit

OECD Guideline 402 (Acute Dermal Toxicity)

b) Skin corrosion/skin irritation :

N/A

AMINES, POLYETHYLENEPOLY-, TRIETHYLENETETRAMINE FRACTION (CAS: 90640-67-8)

Corrosivity :

Causes severe skin burns.

Species : Rabbit

OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

c) Serious damage to eyes/eye irritation :

Causes serious eye damage.

AMINES, POLYETHYLENEPOLY-, TRIETHYLENETETRAMINE FRACTION (CAS: 90640-67-8)

Species : Rabbit

OECD Guideline 405 (Acute Eye Irritation / Corrosion)

d) Respiratory or skin sensitisation :

Can cause a skin allergy

AMINES, POLYETHYLENEPOLY-, TRIETHYLENETETRAMINE FRACTION (CAS: 90640-67-8)

OECD Guideline 406 (Skin Sensitisation)

Guinea Pig Maximisation Test (GMPT) :

Sensitiser.

Species : Guinea pig

OECD Guideline 406 (Skin Sensitisation)

e) Germ cell mutagenicity :

AMINES, POLYETHYLENEPOLY-, TRIETHYLENETETRAMINE FRACTION (CAS: 90640-67-8)

Mutagenesis (in vivo) :

Negative.

OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)

Mutagenesis (in vitro) :

Negative.

Species : Mammalian Cell Line

OECD Guideline 482 (Genetic Toxicology: DNA Damage and Repair, Unscheduled DNA Synthesis in Mammalian Cells In Vitro)

f) Carcinogenicity :

AMINES, POLYETHYLENEPOLY-, TRIETHYLENETETRAMINE FRACTION (CAS: 90640-67-8)

Species : Mouse

OECD Guideline 451 (Carcinogenicity Studies)

g) Reproductive toxicant :

AMINES, POLYETHYLENEPOLY-, TRIETHYLENETETRAMINE FRACTION (CAS: 90640-67-8)

No toxic effect for reproduction

Study on fertility :

Species : Rat

OECD Guideline 414 (Prenatal Developmental Toxicity Study)

h) Specific target organ systemic toxicity - single exposure :

No data available.

i) Specific target organ systemic toxicity - repeated exposure :

AMINES, POLYETHYLENEPOLY-, TRIETHYLENETETRAMINE FRACTION (CAS: 90640-67-8)

Oral route :

C = 50 mg/kg body weight/day

Species : Rat

Duration of exposure : 90 days

OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)

j) Aspiration hazard :

No data available.

11.1.2. Mixture

11.1.2.1 Information on hazard classes

a) Acute toxicity :

Oral route :

Harmful if swallowed.

Dermal route :

Harmful in contact with skin.

b) Skin corrosion/skin irritation :

No data available.

c) Serious damage to eyes/eye irritation :

No data available.

d) Respiratory or skin sensitisation :

May cause an allergic reaction by skin contact.

e) Germ cell mutagenicity :

No data available.

f) Carcinogenicity :

No data available.

g) Reproductive toxicant :

No data available.



h) Specific target organ systemic toxicity - single exposure :

No data available.

i) Specific target organ systemic toxicity - repeated exposure :

No data available.

j) Aspiration hazard :

No data available.

11.1.2.2 Other information

11.2. Information on other hazards

Endocrine disrupting properties

The mixture does not contain any substance evaluated as an endocrine disruptor with effects on human health.

SECTION 12 : ECOLOGICAL INFORMATION

Harmful to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

12.1. Toxicity

12.1.1. Substances

AMINES, POLYETHYLENEPOLY-, TRIETHYLENETETRAMINE FRACTION (CAS: 90640-67-8)

Fish toxicity :

LC50 = 570 mg/l

Species : Poecilia reticulata

Duration of exposure : 96 h

Other guideline

Crustacean toxicity :

EC50 = 31.1 mg/l

Species : Daphnia magna

Duration of exposure : 48 h

Other guideline

EC10 mg/l

Species : Daphnia sp.

Duration of exposure : 21 days

OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)

Algae toxicity :

ECr50 = 20 mg/l

Duration of exposure : 72 h

OECD Guideline 201 (Alga, Growth Inhibition Test)

Duration of exposure : 21 days

OECD Guideline 201 (Alga, Growth Inhibition Test)

NOEC < 2.5 mg/l

Duration of exposure : 72 h

OECD Guideline 201 (Alga, Growth Inhibition Test)

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

12.2.1. Substances

AMINES, POLYETHYLENEPOLY-, TRIETHYLENETETRAMINE FRACTION (CAS: 90640-67-8)

Chemical oxygen demand :

DCO = 1.94 g/g



CATALYSEUR IP - 04200/04201

Biodegradability :

Non-rapidly degradable.

12.3. Bioaccumulative potential

12.3.1. Substances

AMINES, POLYETHYLENEPOLY-, TRIETHYLENETETRAMINE FRACTION (CAS: 90640-67-8)

Octanol/water partition coefficient : log K_{ow} = -2.65

12.4. Mobility in soil

Adsorption coefficient :

K_{oc} = 3162.28

12.5. Results of PBT and vPvB assessment

Non-persistent mixture.

Non bioaccumulable mixture.

Non toxic mixture.

12.6. Endocrine disrupting properties

The mixture does not contain any substance evaluated as an endocrine disruptor with environmental effects.

12.7. Other adverse effects

No data available.

German regulations concerning the classification of hazards for water (WGK, AwSV Annex I, KBws) :

WGK 2 : Hazardous for water.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Respect the local and national regulations

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

Codes of wastes (Decision 2014/955/EC, Directive 2008/98/EEC on hazardous waste) :

16 05 08 * discarded organic chemicals consisting of or containing dangerous substances

07 01 99 wastes not otherwise specified

SECTION 14 : TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2023 - IMDG 2022 [41-22] - ICAO/IATA 2024 [65]).

14.1. UN number or ID number

2259

14.2. UN proper shipping name

UN2259=TRIETHYLENETETRAMINE

14.3. Transport hazard class(es)

- Classification :



8

14.4. Packing group

II

14.5. Environmental hazards

-

14.6. Special precautions for user

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	8	C7	II	8	80	1 L	-	E2	2	E

IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ	Stowage Handling	Segregation
	8	-	II	1 L	F-A. S-B	-	E2	Category B SW2	SGG18 SG35

IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ
	8	-	II	851	1 L	855	30 L	-	E2
	8	-	II	Y840	0.5 L	-	-	-	E2

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2023/707.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2024/2564. (ATP 22)

Container information:

No data available.

Particular provisions :

No data available.

Restrictions applied under Title VIII of Regulation (EC) No. 1907/2006 (REACH):

The mixture does not contain any substance restricted under Annex XVII of Regulation (EC) No. 1907/2006 (REACH):
<https://echa.europa.eu/substances-restricted-under-reach>.

Authorisations agreed under Title VII of Regulation (EC) No.1907/2006 (REACH):

The mixture does not contain any substance subject to authorisation according to Annex XIV of REACH Regulation (EC) No 1907/2006:
<https://echa.europa.eu/fr/authorisation-list>.

Substances that deplete the ozone layer (EC Regulation No. 1005/2009, Montreal Protocol) :

The mixture does not contain any substance posing a risk to the ozone layer.

Persistent organic pollutants (POP) (Regulation (EU) 2019/1021):

The mixture does not contain a persistent organic pollutant.

PIC Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (Rotterdam Convention):

The mixture is not subject to the Prior Informed Consent (PIC) procedure.

Explosives precursors :

The mixture does not contain any substance subject to Regulation (EU) 2019/1148 on the marketing and use of explosives precursors.

German regulations concerning the classification of hazards for water (WGK, AwSV Annex I, KBws) :

WGK 2 : Hazardous for water.

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3 :

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H412	Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms :

LD50 : The dose of a test substance resulting in 50% lethality in a given time period.

LC50 : The concentration of a test substance resulting in 50% lethality in a given period.

EC50 : The effective concentration of substance that causes 50% of the maximum response.

ECr50 : The effective concentration of substance that causes 50% reduction in growth rate.

NOEC : The concentration with no observed effect.

REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.

ATE : Acute Toxicity Estimate

BW : Body Weight

DNEL : Derived No-Effect Level

PNEC : Predicted No-Effect Concentration

UFI : Unique formulation identifier.

ADR : European agreement concerning the international carriage of dangerous goods by Road.

GHS05 : Corrosion

GHS07 : Exclamation mark

IATA : International Air Transport Association.

IMDG : International Maritime Dangerous Goods.

ICAO : International Civil Aviation Organisation

PBT: Persistent, bioaccumulable and toxic.

PIC: Prior Informed Consent.

POP: Persistent Organic Pollutant.

RID : Regulations concerning the International carriage of Dangerous goods by rail.

SVHC : Substances of very high concern.

vPvB : Very persistent, very bioaccumulable.

WGK : Wassergefährdungsklasse (Water Hazard Class).