

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : REACTIF DE KROLL

Product code : 17242-17243.

UFI : GS60-T0S5-U00W-ED70

1.2. Relevant identified uses of the substance or mixture and uses advised against

Etching reagent

1.3. Details of the supplier of the safety data sheet

Registered company name : PRESI S.A.S.

Address : 11 Rue du vercors.38320.EYBENS.France.

Telephone : +33 (0)4.76.72.00.21. Fax : +33 (0)4.76.72.05.84.

presi@presi.com

www.presi.com

1.4. Emergency telephone number : +33 (0)1.45.42.59.59.

Association/Organisation : INRS / ORFILA <http://www.centres-antipoison.net>.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Acute oral toxicity, Category 4 (Acute Tox. 4, H302).

Acute dermal toxicity, Category 3 (Acute Tox. 3, H311).

Skin corrosion, Category 1B (Skin Corr. 1B, H314).

Serious eye damage, Category 1 (Eye Dam. 1, H318).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



GHS05



GHS06

Signal Word :

DANGER

Product identifiers :

007-030-00-3

NITRIC ACID [C <= 70 %]

009-003-00-1

HYDROFLUORIC ACID

Hazard statements :

H302

Harmful if swallowed.

H311

Toxic in contact with skin.

H314

Causes severe skin burns and eye damage.

Precautionary statements - Prevention :

P260

Do not breathe dust/fume/gas/mist/vapours/spray.

P264

Wash ... thoroughly after handling.

REACTIF DE KROLL - 17242-17243

| | |
|---------------------------------------|--|
| P270 | Do not eat, drink or smoke when using this product. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/ ... |
| Precautionary statements - Response : | |
| P301 + P330 + P331 | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. |
| P302 + P352 | IF ON SKIN: Wash with plenty of water/... |
| P303 + P361 + P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. |
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310 | Immediately call a POISON CENTER/doctor/... |
| P321 | Specific treatment (see ... on this label). |
| P361 + P364 | Take off immediately all contaminated clothing and wash it before reuse. |
| Precautionary statements - Disposal : | |
| P501 | Dispose of the contents/container in a safe manner and in accordance with local, regional, or national regulations. |

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) $\geq 0.1\%$ published by the European Chemicals Agency (ECHA) under article 57 of REACH: <http://echa.europa.eu/fr/candidate-list-table>

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances $\geq 0.1\%$ with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition :

| Identification | Classification (EC) 1272/2008 | Note | % |
|---|--|----------|---------------------|
| INDEX: 007-030-00-3 CAS: 7697-37-2 EC: 231-714-2 REACH: 01-2119487297-23-0000 NITRIC ACID [C \leq 70 %] | GHS06, GHS05, GHS03 Dgr Ox. Liq. 3, H272 Skin Corr. 1A, H314 Acute Tox. 3, H331 EUH:071 | B [1] | 2.5 \leq x % < 10 |
| INDEX: 009-003-00-1 CAS: 7664-39-3 EC: 231-634-8 REACH: 01-2119458860-33-0000 HYDROFLUORIC ACID | GHS06, GHS05 Dgr Acute Tox. 2, H300 Acute Tox. 1, H310 Skin Corr. 1A, H314 Acute Tox. 2, H330 | B [1] | 1 \leq x % < 2.5 |

Specific concentration limits:

| Identification | Specific concentration limits | ATE |
|---|--|--|
| INDEX: 007-030-00-3 CAS: 7697-37-2 EC: 231-714-2 REACH: 01-2119487297-23-0000 NITRIC ACID [C \leq 70 %] | Ox. Liq. 3: H272 C \geq 65% Skin Corr. 1A: H314 C \geq 20% Skin Corr. 1B: H314 5% \leq C < 20% Skin Corr. 1C: H314 0% \leq C < 5% Skin Irrit. 2: H315 1% \leq C < 0% | inhalation: ATE = 2.65 mg/l 4h (vapours) |
| INDEX: 009-003-00-1 CAS: 7664-39-3 EC: 231-634-8 REACH: 01-2119458860-33-0000 HYDROFLUORIC ACID | Skin Corr. 1A: H314 C \geq 7% Skin Corr. 1B: H314 1% \leq C < 7% Skin Irrit. 2: H315 1% \leq C < 1% Eye Dam. 1: H318 C \geq 1% Eye Irrit. 2: H319 0.1% \leq C < 1% | |

Information on ingredients :

(Full text of H-phrases: see section 16)



REACTIF DE KROLL - 17242-17243

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. description of first aid measures

In the event of splashes or contact with eyes :

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

Regardless of the initial state, refer the patient to an ophthalmologist and show him the label.

In the event of splashes or contact with skin :

Remove any soiled or splashed clothing immediately.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

Wash off with plenty of water

Apply a 2.5 % calcium gluconate gel to the burn until the pain disappears

N/A

In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water, administer activated medical charcoal and consult a doctor.

Seek medical attention immediately, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

Rinse mouth thoroughly with water

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Suitable methods of extinction

In the event of a fire, use :

- sprayed water or water mist

- foam

- carbon dioxide (CO₂)

- powder

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- nitrogen oxide (NO)

- nitrogen dioxide (NO₂)

- fluorine (F₂)

5.3. Advice for firefighters

Due to the toxicity of the gas emitted on thermal decomposition of the products, fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.



REACTIF DE KROLL - 17242-17243

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Neutralise with an alkaline decontaminant, such as an aqueous solution of sodium carbonate or similar.

If the ground is contaminated, once the product has been recovered by sponging with an inert and non-combustible absorbent material, wash the contaminated area in plenty of water.

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Emergency showers and eye wash stations will be required in facilities where the mixture is handled constantly.

Do not handle in an environment in which particules can pollute the product in its container. Any pollution can lead to a violent reaction of the mixture.

Fire prevention :

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid exposure - obtain special instructions before use.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep away from food and drink, including those for animals.

Packaging

Always keep in packaging made of an identical material to the original.

Suitable packaging materials :

- Polyethylene

7.3. Specific end use(s)

No data available.

REACTIF DE KROLL - 17242-17243

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

- European Union (2022/431, 2019/1831, 2017/2398, 2017/164, 2009/161, 2006/15/CE, 2000/39/CE, 98/24/CE) :

| CAS | VME-mg/m3 : | VME-ppm : | VLE-mg/m3 : | VLE-ppm : | Notes : |
|-----------|-------------|-----------|-------------|-----------|---------|
| 7697-37-2 | - | - | 2.6 | 1 | - |
| 7664-39-3 | 1.5 | 1.8 | 2.5 | 3 | - |

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) :

| CAS | TWA : | STEL : | Ceiling : | Definition : | Criteria : |
|-----------|---------|--------|-----------|--------------|------------|
| 7697-37-2 | 2 ppm | 4 ppm | | | |
| 7664-39-3 | 0.5 ppm | | 2 ppm | Skin; BEI | |

- Germany - AGW (BAuA - TRGS 900, 02/2022) :

| CAS | VME : | VME : | Excess | Notes |
|-----------|-------|---------------------|--------|-------|
| 7697-37-2 | | 1 ppm 2.6 mg/m3 | | |
| 7664-39-3 | | 1 ppm 0.83 mg/m3 | | 2(I) |

- Canada / Ontario (Control of exposure to biological or chemical agents, regulation 491/2009) :

| CAS | TWA : | STEL : | Ceiling : | Definition : | Criteria : |
|-----------|-------|--------|-----------|--------------|------------|
| 7664-39-3 | - | - | 3 ppm | - | - |

- Canada / Quebec (Regulations on occupational health and safety) :

| CAS | TWA : | STEL : | Ceiling : | Definition : | Criteria : |
|-----------|--------------------|--------------------|-----------|--------------|------------|
| 7697-37-2 | 2 ppm 5.2 mg/m3 | 4 ppm 10 mg/m3 | | | |
| 7664-39-3 | | 3 ppm 2.6 mg/m3 | | RP | |

- France (INRS - Outils 65 / 2021-1849, 2021-1763, decree of 09/12/2021) :

| CAS | VME-ppm : | VME-mg/m3 : | VLE-ppm : | VLE-mg/m3 : | Notes : | TMP No : |
|-----------|-----------|-------------|-----------|-------------|---------|----------|
| 7697-37-2 | - | - | 1 | 2.6 | - | - |
| 7664-39-3 | 1.8 | 1.5 | 3 | 2.5 | - | 32 |

- Japan (JSOH, Recommendation of occupational exposure limits 2021-2022) :

| CAS | TWA : | STEL : | Ceiling : | Definition : | Criteria : |
|-----------|--------------------|--------|-----------|--------------|------------|
| 7697-37-2 | 2 ppm 5.2 mg/m3 | | | | |
| 7664-39-3 | 3 ppm 2.5 mg/m3 | | | | |

- Switzerland (Suva 2021) :

| CAS | VME | VLE | Valeur plafond | Notations |
|-----------|---------------------|---------------------|----------------|-----------|
| 7697-37-2 | 2 ppm 5 mg/m3 | 2 ppm 5 mg/m3 | | |
| 7664-39-3 | 1 ppm 0.83 mg/m3 | 2 ppm 1.66 mg/m3 | | |

- USA / NIOSH IDLH (National Institute for Occupational Safety and Health, Immediately Dangerous to Life or Health Concentrations) :

| CAS | TWA : | STEL : | Ceiling : | Definition : | Criteria : |
|-----------|--------------------|-------------------|------------------|--------------|------------|
| 7697-37-2 | 2 ppm 5 mg/m3 | 4 ppm 10 mg/m3 | | | |
| 7664-39-3 | 3 ppm 2.5 mg/m3 | | 6 ppm 5 mg/m3 | 15 minute | |

- UK / WEL (Workplace exposure limits, EH40/2005, Fourth Edition 2020) :

REACTIF DE KROLL - 17242-17243

| CAS | TWA : | STEL : | Ceiling : | Definition : | Criteria : |
|-----------|----------------------------------|--------------------------------|-----------|--------------|------------|
| 7697-37-2 | | 1 ppm 2.6 mg/m ³ | | | |
| 7664-39-3 | 1.8 ppm 1.5 mg/m ³ | 3 ppm 2.5 mg/m ³ | | | |

Derived no effect level (DNEL) or derived minimum effect level (DMEL):

HYDROFLUORIC ACID (CAS: 7664-39-3)

Final use:

Exposure method:
Potential health effects:
DNEL :

Workers.

Inhalation.
Long term systemic effects.
1.5 mg of substance/m³

Exposure method:
Potential health effects:
DNEL :

Inhalation.
Short term systemic effects.
2.5 mg of substance/m³

Exposure method:
Potential health effects:
DNEL :

Inhalation.
Short term local effects.
2.5 mg of substance/m³

Final use:

Exposure method:
Potential health effects:
DNEL :

Man exposed via the environment.

Ingestion.
Long term systemic effects.
0.01 mg/kg body weight/day

Exposure method:
Potential health effects:
DNEL :

Ingestion.
Short term systemic effects.
0.01 mg/kg body weight/day

Exposure method:
Potential health effects:
DNEL :

Inhalation.
Long term systemic effects.
0.03 mg of substance/m³

Exposure method:
Potential health effects:
DNEL :

Inhalation.
Long term local effects.
0.2 mg of substance/m³

Exposure method:
Potential health effects:
DNEL :

Inhalation.
Short term systemic effects.
0.03 mg of substance/m³

Exposure method:
Potential health effects:
DNEL :

Inhalation.
Short term local effects.
1.25 mg of substance/m³

NITRIC ACID ...% [C <= 70 %] (CAS: 7697-37-2)

Final use:

Exposure method:
Potential health effects:
DNEL :

Workers.

Inhalation.
Long term local effects.
2.6 mg of substance/m³

Exposure method:
Potential health effects:

Inhalation.
Short term local effects.

REACTIF DE KROLL - 17242-17243

DNEL : 2.6 mg of substance/m³

Final use: Man exposed via the environment.

Exposure method: Inhalation.
Potential health effects: Long term local effects.
DNEL : 1.3 mg of substance/m³

Exposure method: Inhalation.
Potential health effects: Short term local effects.
DNEL : 1.3 mg of substance/m³

Predicted no effect concentration (PNEC):

HYDROFLUORIC ACID (CAS: 7664-39-3)

Environmental compartment: Soil.
PNEC : 11 mg/kg

Environmental compartment: Fresh water.
PNEC : 0.9 mg/l

Environmental compartment: Sea water.
PNEC : 0.9 mg/l

Environmental compartment: Intermittent waste water.
PNEC : 51 mg/l

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard EN166.

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Natural latex



REACTIF DE KROLL - 17242-17243

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

- Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing :

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605/A1 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034/A1 to prevent skin contact.

Wear suitable protective clothing and, in particular, an apron and boots. These items of clothing shall be maintained in good condition and cleaned after use.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

- Respiratory protection

Anti-gas and vapour filter(s) (Combined filters) in accordance with standard EN14387 :

- A1 (Brown)

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state

Physical state : Fluid liquid.

Colour

Unspecified

Odour

Odour threshold : Not stated.

Melting point

Melting point/melting range : Not specified.

Freezing point

Freezing point / Freezing range : Not stated.

Boiling point or initial boiling point and boiling range

Boiling point/boiling range : Not specified.

Flammability

Flammability (solid, gas) : Not stated.

Lower and upper explosion limit

Explosive properties, lower explosivity limit (%) Not stated.

:

Explosive properties, upper explosivity limit (%) Not stated.

:

Flash point

Flash point interval : Not relevant.

Auto-ignition temperature

Self-ignition temperature : Not specified.

Decomposition temperature

Decomposition point/decomposition range : Not specified.

pH

pH : 1.00 .
Strongly acidic.

pH (aqueous solution) : Not stated.



REACTIF DE KROLL - 17242-17243

Kinematic viscosity

Viscosity : Not stated.

Solubility

Water solubility : Soluble.
Fat solubility : Not stated.

Partition coefficient n-octanol/water (log value)

Partition coefficient: n-octanol/water : Not stated.

Vapour pressure

Vapour pressure (50°C) : Not relevant.

Density and/or relative density

Density : > 1

Relative vapour density

Vapour density : Not stated.

Particle characteristics

The mixture does not contain nanoforms.

9.2. Other information

VOC (g/l) : 0

9.2.1. Information with regard to physical hazard classes

No data available.

9.2.2. Other safety characteristics

No data available.

SECTION 10 : STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Avoid :

- frost

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- nitrogen oxide (NO)

- nitrogen dioxide (NO₂)

- fluorine (F₂)

SECTION 11 : TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Harmful if swallowed.

Toxic in contact with the skin.

May cause irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis, following exposure between three minutes and one hour.

Corrosive reactions are typified by ulcers, bleeding, bloody scabs, and, by the end of observation at 14 days, by discolouration due to blanching of the skin, complete areas of alopecia, and scars.



REACTIF DE KROLL - 17242-17243

11.1.1. Substances

Acute toxicity :

NITRIC ACID ...% [C <= 70 %] (CAS: 7697-37-2)

Inhalation route (Vapours) :

LC50 = 2.65 mg/l

Duration of exposure : 4 h

11.1.2. Mixture

No toxicological data available for the mixture.

11.2. Information on other hazards

SECTION 12 : ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Endocrine disrupting properties

No data available.

12.7. Other adverse effects

No data available.

German regulations concerning the classification of hazards for water (WGK, AwSV Annex I, KBws) :

WGK 1 : Slightly hazardous for water.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2023 - IMDG 2022 [41-22] - ICAO/IATA 2023 [64]).

14.1. UN number or ID number

2922


REACTIF DE KROLL - 17242-17243

14.2. UN proper shipping name

UN2922=CORROSIVE LIQUID, TOXIC, N.O.S.
(nitric acid [c <= 70 %], hydrofluoric acid)

14.3. Transport hazard class(es)

- Classification :



8+6.1

14.4. Packing group

III

14.5. Environmental hazards

-

14.6. Special precautions for user

| ADR/RID | Class | Code | Pack gr. | Label | Ident. | LQ | Provis. | EQ | Cat. | Tunnel |
|---------|-------|------|----------|-------|--------|-----|---------|----|------|--------|
| | 8 | CT1 | III | 8+6.1 | 86 | 5 L | 274 | E1 | 3 | E |

| IMDG | Class | 2°Label | Pack gr. | LQ | EMS | Provis. | EQ | Stowage Handling | Segregation |
|------|-------|---------|----------|-----|----------|---------|----|------------------|-------------|
| | 8 | 6.1 | III | 5 L | F-A. S-B | 223?274 | E1 | Category B SW2 | - |

| IATA | Class | 2°Label | Pack gr. | Passager | Passager | Cargo | Cargo | note | EQ |
|------|-------|---------|----------|----------|----------|-------|-------|------------|----|
| | 8 | 6.1 | III | 852 | 5 L | 856 | 60 L | A3 A4 A803 | E1 |
| | 8 | 6.1 | III | Y841 | 1 L | - | - | A3 A4 A803 | E1 |

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2022/692 (ATP 18)

Container information:

No data available.

Restrictions applied under Title VIII of Regulation (EC) No. 1907/2006 (REACH):

The mixture does not contain any substance restricted under Annex XVII of Regulation (EC) No. 1907/2006 (REACH):
<https://echa.europa.eu/substances-restricted-under-reach>.

Explosives precursors :

The mixture contains at least one substance subject to Regulation (EU) 2019/1148 on the marketing and use of explosives precursors:

- Nitric acid (CAS 7697-37-2)

The mixture shall not be made available to, introduced into, possessed by or used by members of the general public, either on its own or in mixtures, and for which suspicious transactions and major disappearances and thefts shall be reported within 24 hours.

Particular provisions :

No data available.

German regulations concerning the classification of hazards for water (WGK, AwSV Annex I, KBws) :

WGK 1 : Slightly hazardous for water.



REACTIF DE KROLL - 17242-17243

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3 :

| | |
|--------|--|
| H272 | May intensify fire; oxidiser. |
| H300 | Fatal if swallowed. |
| H310 | Fatal in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H330 | Fatal if inhaled. |
| H331 | Toxic if inhaled. |
| EUH071 | Corrosive to the respiratory tract. |

Abbreviations and acronyms :

LC50 : The concentration of a test substance resulting in 50% lethality in a given period.

REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.

ATE : Acute Toxicity Estimate

DNEL : Derived No-Effect Level

PNEC : Predicted No-Effect Concentration

UFI : Unique formulation identifier.

STEL : Short-term exposure limit

TWA : Time Weighted Averages

TMP : French Occupational Illness table

TLV : Threshold Limit Value (exposure)

AEV : Average Exposure Value.

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefährdungsklasse (Water Hazard Class).

GHS05 : Corrosion

GHS06 : Skull and crossbones

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.